**To:** Shari.Ring@cadmusgroup.com[Shari.Ring@cadmusgroup.com]; Rumrill,

Nancy[Rumrill.Nancy@epa.gov]

Cc: JAMES D WALKER[jameswalker5@msn.com]

From: Rao, Kate

Sent: Tue 7/25/2017 11:33:46 PM Subject: RE: Revised UIC permit text

Got the attachments. Thanks. Kate

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Kate Rao Drinking Water Protection Section (WTR 3-2) USEPA Region 9 75 Hawthorne St., San Francisco, CA 94105 tel: (415) 972-3533 / fax: (415) 947-3549

From: Shari Ring [mailto:Shari.Ring@cadmusgroup.com]

Sent: Tuesday, July 25, 2017 1:57 PM

To: Rumrill, Nancy < Rumrill.Nancy@epa.gov>; Rao, Kate < Rao.kate@epa.gov>

Cc: JAMES D WALKER <jameswalker5@msn.com>

Subject: RE: Revised UIC permit text

Hi all,

I just delivered the draft permit text – I don't think the files are too big, but please let me know if you don't receive them.

Shari Ring

The Cadmus Group, Inc.

703.247.6159

From: Shari Ring

Sent: Tuesday, July 25, 2017 4:55 PM

To: Rumrill, Nancy (Rumrill.Nancy@epa.gov) < Rumrill.Nancy@epa.gov >; 'Rao, Kate'

<Rao.kate@epa.gov>

Cc: 'JAMES D WALKER' < jameswalker5@msn.com>

Subject: Revised UIC permit text

Hi Nancy and Kate

Attached is an updated draft Class III permit for the Gunnison project. Jim made some changes to the text based on the updated permit application and added to the recommended content of the appendices in the Table of Contents.

Two versions are attached: one with all of the changes to the June 9 draft tracked and one clean version.

There are some issues with Excelsior's updated permit application to be resolved before the draft permit (and the appendices) can be completed; these are discussed in comments in this draft. Jim plans to raise those issues with you before the next conference call with Excelsior.

Please let Jim or me know if you have any questions; this draft is a work-in-progress, but will provide a basis for discussion about next steps.

Shari Ring

The Cadmus Group, Inc.

703.247.6159